

	<b>NEWMEN Category</b> (includes ASTM requirements)															Phase	Beskar/ Forge	Performance	Advanced	Evolution										
	Paved roads and paths																		C.35/38, A.49/54, S.60/66, TT.80, A.50	R.35										
	Fire roads, country lanes																		X.R.25/36, G.34	X.R.25										
1	●	●														●	●	●												
2	●	●	●				●									●	●	●												
3	●	●	●	●			●					●	●	●		●	●	●	Cross Country	Cross Country	Cross Country									
4	●	●	●	●	●		●	●	●			●	●	●	●	●	●	●	Trail	Trail	Trail									
5	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	Enduro	Enduro / DH	Enduro									
	<b>Terrain</b>					<b>Jumps</b>					<b>Drops</b>					<b>Obstacles</b>					<b>Skills</b>					<b>Mountainbike</b>			<b>Road/Gravel</b>	

● without restrictions - observe the product-specific maximum system weight

NEWMEN classifications are designed to be as detailed and realistic as possible. They include **ASTM requirements**.

All products are approved for use on e-bikes. Note motor torque on the right.

Appropriate riding skills are required for the riding situations described above.

Regardless of the category, all safety-relevant screw connections and components must be checked regularly.

### Motor torque limits for hubs

- Basic 130Nm
- Fade 120Nm
- Basic R, Fade R 60Nm